#### LEICESTER CITY COUNCIL - HIGHWAY MANAGEMENT

Page 1 of 1

HIGHWAY INSPECTION REGISTER

BRAUNSTONE AVENUE (Pt)(F to B), BRAUNSTONE PK & ROWLEY

Inspection Schedules: 01/03/2014 - 20/03/2014

Street : From :

FIELDS Fulhurst Avenue

To: Braunstone Lane

Inspection Schedule	Inspect. Date	Inspected By	Works Orders	Notes
000890	04/03/2014		13148046, 13148047, 13148048, 13148051, 13148052, 13148053, 13148054	

Revision 1.4

		LINING WO	RKS			
Inspector				Order Number	1314804	16
Urgency Cat	tegory URGENCY C	CATEGORY B		FMIS Code	R100077	7N100364
Street Name	BRAUNSTO	NE AVENUE (Pt)(F to	o B)	Issued Date	04-Marc	h-2014
Area	2.0.0	PK & ROWLEY FIELDS		Complete by	05-Mar	ch-2014
Locations in S	Street	Size	Work to	o do		
Junc Vale	ence Rd	16.00 x 1.00	"			
Junc Vale	nce Rd	32.00 x 1.00	'WHIT	RMITTENT LINING 'E LINE 200MM WI RMITTENT'		
Os 109/10	7	41.00 x 1.00	'WHIT	RMITTENT LINING 'E LINE 100MM W RMITTENT'		
Os 109/10	07	50.00 x 1.00	'WHIT	RMITTENT LINING E LINE 200MM WI RMITTENT'		
Item Code	Description of Work				Unit	Quantity
B0160122	Percentage addition t	o rates for Urgency Categ	ory B wor	k. (see Appendix	%	1.00
D1222605	Intermittent white line	, 100mm wide.			m	16.00
D1222615	Intermittent white line	, 200mm wide.			m	32.00
D1222605	Intermittent white line	, 100mm wide.			m	41.00
D1222615	Intermittent white line	200mm wide			m	50.00

Completed on	Ву	

	Leices	ter City Council - Highway	Management - Works Order		
		CARRIAGEWAY	works		
Inspector			Order Number	131480	47
Urgency Ca	ategory URGENC)	CATEGORY B	FMIS Code	R10005	2N100338
Street Nam		ONE AVENUE (Pt)(F t	(n R) Issued Date	04-Marc	ch-2014
Area		NE PK & ROWLEY FIELDS		05-Mar	ch-2014
Locations in	Street	Size	Work to do		
Os 84 - 3	potholes	3.00 x 1.00	"		
Opp 220		4.00 x 1.00	POTHOLE 40mm 'C/W POTHOLE 40MM SAFE'	PATCH O	R MAKE
Opp 256		1.00 x 1.00	POTHOLE 40mm 'C/W POTHOLE 40MM SAFE'	РАТСН О	R MAKE
Opp Oda	m Close	2.00 x 1.00	POTHOLE 40mm		
			'C/W POTHOLE 40MM SAFE'	PATCH O	R MAKE
Item Code	Description of Work			PATCH O Unit	R MAKE  Quantity
		on to rates for Urgency Cate	SAFE'		e e appe ement
B0160122	Percentage addition 1/13).	on to rates for Urgency Cate	SAFE'	Unit	Quantity 2.00 3.00
B0160122 B0720115	Percentage addition 1/13).  Hot poured bitume width 10mm.  Saw cut to bitumin	on to rates for Urgency Cates on to joints or cracks in the co	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth.	Unit %	Quantity 2.00 3.00
B0160122 B0720115 B0725301	Percentage addition 1/13). Hot poured bitume width 10mm. Saw cut to bitumin COMBINED RATE	on to rates for Urgency Cates en to joints or cracks in the co ous bound flexible pavement FOR BITMAC CARRIAGE	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK	Unit % m	Quantity 2.00 3.00 3.00 3.00
B0160122 B0720115 B0725301 B2010115	Percentage addition 1/13). Hot poured bitume width 10mm. Saw cut to bitumin COMBINED RATE	on to rates for Urgency Cates en to joints or cracks in the co ous bound flexible pavement FOR BITMAC CARRIAGE	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth.	Unit % m	Quantity 2.00 3.00
B0160122 B0720115 B0725301 B2010115 B0720115	Percentage addition 1/13).  Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.	on to rates for Urgency Cates en to joints or cracks in the co ous bound flexible pavement FOR BITMAC CARRIAGE	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack	Unit % m m m2	Quantity 2.00 3.00 3.00 3.00 4.00
B0160122 B0720115 B0725301 B2010115 B0720115 B0725301	Percentage addition 1/13).  Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.  Saw cut to bitumin	on to rates for Urgency Cates on to joints or cracks in the co- ous bound flexible pavement FOR BITMAC CARRIAGEN on to joints or cracks in the co-	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth.	Unit % m m m2 m	Quantity 2.00 3.00 3.00 3.00 4.00 4.00
B0160122 B0720115 B0725301 B2010115 B0720115 B0725301 B2010115	Percentage addition 1/13). Hot poured bitume width 10mm. Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm. Saw cut to bitumin COMBINED RATE	en to rates for Urgency Cates en to joints or cracks in the co- ous bound flexible pavement E FOR BITMAC CARRIAGE en to joints or cracks in the co- ous bound flexible pavement E FOR BITMAC CARRIAGE	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth.	Unit % m m m2 m	Quantity 2.00 3.00 3.00 3.00 4.00
B0160122 B0720115 B0725301 B2010115 B0720115 B0725301 B2010115 B0720115	Percentage addition 1/13).  Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.	en to rates for Urgency Cates en to joints or cracks in the co- ous bound flexible pavement E FOR BITMAC CARRIAGE en to joints or cracks in the co- ous bound flexible pavement E FOR BITMAC CARRIAGE	gory B work. (see Appendix arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack	Unit % m m m2 m m2 m	Quantity 2.00 3.00 3.00 3.00 4.00 4.00 1.00
B0160122 B0720115 B0725301 B2010115 B0720115 B0725301 B2010115 B0720115	Percentage addition 1/13).  Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.  Saw cut to bitumin	en to rates for Urgency Categorius to joints or cracks in the cous bound flexible pavement FOR BITMAC CARRIAGES on to joints or cracks in the cous bound flexible pavement FOR BITMAC CARRIAGES on to joints or cracks in the cous to joints or cracks in the country	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth.	Unit % m m m2 m m2 m	Quantity 2.00 3.00 3.00 3.00 4.00 4.00 1.00
B0160122 B0720115 B0725301 B2010115 B0720115 B0725301 B2010115 B0725301 B0725301 B2010115	Percentage addition 1/13).  Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.	en to rates for Urgency Cated on to joints or cracks in the coops bound flexible pavement of the pavement of the coops bound flexible pavement of the pavement	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth.	Unit % m m m2 m m2 m	Quantity 2.00 3.00 3.00 3.00 4.00 4.00 1.00
B0725301 B0725301 B0725301 B0725301 B0725301 B0725301 B0725301 B0720115 B0725301 B0725301 B0725301 B0725301	Percentage addition 1/13).  Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.  Saw cut to bitumin COMBINED RATE Hot poured bitume width 10mm.	en to rates for Urgency Cated on to joints or cracks in the coops bound flexible pavement of the pavement of the coops bound flexible pavement of the pavement	SAFE' gory B work. (see Appendix arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack at, 40mm depth. WAY PATCH 40MM THICK arriageway, maximum crack	Unit % m m m2 m m m2 m m2	Quantity 2.00 3.00 3.00 4.00 4.00 1.00 1.00

Completed on	Ву	

		CARRIAGEWAY	WORKS			
Inspector				Order Number	131480	48
	ategory URGENCY C	ATEGORY B		FMIS Code	R10005	2N100338
Street Nam	e BRAUNSTON	NE AVENUE (Pt)(F to	o B)	Issued Date	04-Marc	ch-2014
Area	BRAUNSTONE	PK & ROWLEY FIELDS		Complete by	05-Mar	ch-2014
Locations in	Street	Size	Work to	do		
Opp 117		1.00 x 1.00	"			
Opp 111						
Os BRITE	E Centre	2.00 x 1.00		OLE 40mm OTHOLE 40MM	PATCH O	R MAKE
	E Centre  Description of Work	2.00 x 1.00	'C/W P		PATCH O	R MAKE
Os BRITE	Description of Work	2.00 x 1.00	'C/W P SAFE'	OTHOLE 40MM		
Os BRITE	Description of Work Percentage addition to 1/13).		'C/W P SAFE'	OTHOLE 40MM	Unit	Quantity
Os BRITE  Item Code  B0160122  B0720115	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm.	o rates for Urgency Categ	'C/W P SAFE' gory B work arriageway,	OTHOLE 40MM . (see Appendix maximum crack	Unit %	Quantity 4.00
Os BRITE	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm. Saw cut to bituminous	o rates for Urgency Category or points or cracks in the ca	'C/W P SAFE' gory B work arriageway, t, 40mm de	OTHOLE 40MM . (see Appendix maximum crack pth.	Unit % m	Quantity 4.00
Os BRITE  Item Code  B0160122  B0720115  B0725301  B2010115	Description of Work  Percentage addition to 1/13).  Hot poured bitumen to width 10mm.  Saw cut to bituminous  COMBINED RATE FO	o rates for Urgency Category points or cracks in the carbon bound flexible pavemen	'C/W P SAFE' gory B work arriageway, t, 40mm de	OTHOLE 40MM  (see Appendix maximum crack pth. H 40MM THICK	Unit % m	Quantity 4.00 1.00 1.00 1.00 2.00
Os BRITE  Item Code  B0160122  B0720115  B0725301	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FOR Hot poured bitumen to width 10mm.	o rates for Urgency Cates o joints or cracks in the ca bound flexible pavemen OR BITMAC CARRIAGEV	'C/W P SAFE' gory B work arriageway, t, 40mm de NAY PATC arriageway,	OTHOLE 40MM  (see Appendix maximum crack pth. H 40MM THICK maximum crack	Unit % m m m2	Quantity 4.00 1.00 1.00

Completed on	Ву

		FOOTWAY V	VORKS			
Inspector			C	rder Number	131480	51
	ategory URGENCY C	ATEGORY B	F	MIS Code	R10005	5N100342
Street Nam		NE AVENUE (Pt)(F 1	to D\	sued Date	04-Marc	ch-2014
Area	BITACITO	PK & ROWLEY FIELDS		omplete by		ch-2014
Locations in	Street	Size	Work to do			
Opp 196		2.00 x 1.00	u			
Opp 244		2.00 x 1.00	POTHOLE 'F/W POTH SAFE WITI	IOLE 60MM I	PATCH OI	R MAKE
Opp Chu	ırch	2.00 x 1.00	POTHOLE 'F/W POTH SAFE WITI	OLE 60MM	PATCH O	R MAKE
			OALL	BITIMAC		
Nr lp col s	59	1.00 x 1.00	POTHOLE	60MM IOLE 60MM F	PATCH OF	R MAKE
	Description of Work	1.00 x 1.00	POTHOLE 'F/W POTH	60MM IOLE 60MM F	PATCH OF	R MAKE
Nr lp col s	Description of Work	1.00 x 1.00	POTHOLE 'F/W POTH SAFE WITI	60MM IOLE 60MM F H BITMAC'		
Item Code B0160122	Description of Work Percentage addition to 1/13).		POTHOLE 'F/W POTH SAFE WITI	60MM IOLE 60MM F H BITMAC'	Unit	Quantity
Item Code B0160122 B0720115	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm.	o rates for Urgency Cate	POTHOLE 'F/W POTH SAFE WITI gory B work. (see	60MM IOLE 60MM F H BITMAC'	Unit % m	Quantity 3.00 2.00
Item Code B0160122 B0720115	Description of Work  Percentage addition to 1/13).  Hot poured bitumen to width 10mm.  Saw cut to bituminous	o rates for Urgency Cate	POTHOLE 'F/W POTH SAFE WITH gory B work. (see arriageway, max epth.	60MM IOLE 60MM F H BITMAC'  Appendix Imum crack	Unit % m	Quantity 3.00 2.00
Item Code B0160122 B0720115 B1126115 B2010105	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO	o rates for Urgency Cates joints or cracks in the c footway, up to 60mm de	POTHOLE 'F/W POTH SAFE WITH gory B work. (see arriageway, max epth. PATCH 60MM T	60MM IOLE 60MM F H BITMAC'  Appendix  Imum crack	Unit % m	Quantity 3.00 2.00
Item Code	Description of Work  Percentage addition to 1/13).  Hot poured bitumen to width 10mm.  Saw cut to bituminous  COMBINED RATE FO  Hot poured bitumen to width 10mm.	o rates for Urgency Cate o joints or cracks in the confootway, up to 60mm de OR BITMAC FOOTWAY	POTHOLE 'F/W POTH SAFE WITH gory B work. (see arriageway, max epth. PATCH 60MM T arriageway, max	60MM IOLE 60MM F H BITMAC'  Appendix  Imum crack	Unit % m m M2	Quantity 3.00 2.00 2.00 2.00
Item Code B0160122 B0720115 B1126115 B2010105 B0720115	Description of Work  Percentage addition to 1/13).  Hot poured bitumen to width 10mm.  Saw cut to bituminous  COMBINED RATE FO  Hot poured bitumen to width 10mm.  Saw cut to bituminous	o rates for Urgency Cates o joints or cracks in the conformation of the property of the conformation of th	POTHOLE 'F/W POTH SAFE WITI gory B work. (see arriageway, max epth. PATCH 60MM T arriageway, max epth.	60MM IOLE 60MM F H BITMAC'  Appendix  mum crack  HICK  mum crack	Unit % m m M2 m	Quantity 3.00 2.00 2.00 2.00 2.00
B0160122 B0720115 B1126115 B2010105 B0720115 B1126115 B2010105	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FOR Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FOR HOT POUR PROPERTY OF T	o rates for Urgency Cates o joints or cracks in the co footway, up to 60mm de OR BITMAC FOOTWAY o joints or cracks in the co	POTHOLE 'F/W POTH SAFE WITI gory B work. (see arriageway, max epth. PATCH 60MM T arriageway, max epth. PATCH 60MM T	60MM IOLE 60MM F H BITMAC'  Appendix imum crack  HICK  HICK	Unit % m m M2 m	Quantity 3.00 2.00 2.00 2.00 2.00 2.00
B0160122 B0720115 B1126115 B2010105 B0720115 B1126115 B2010105 B0720115	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm.	o rates for Urgency Cates of joints or cracks in the confootway, up to 60mm decorated by Joints or cracks in the confootway, up to 60mm decorated by BITMAC FOOTWAY	POTHOLE 'F/W POTH SAFE WITH gory B work. (see arriageway, max epth. PATCH 60MM T arriageway, maxiepth. PATCH 60MM T arriageway, maxiepth.	60MM IOLE 60MM F H BITMAC'  Appendix imum crack  HICK  HICK	Unit % m m M2 m M2 m M2	Quantity 3.00 2.00 2.00 2.00 2.00 2.00 2.00
Item Code B0160122 B0720115 B1126115 B2010105 B0720115 B1126115 B2010105 B0720115	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm. Saw cut to bituminous Saw cut to bituminous	o rates for Urgency Category of points or cracks in the confootway, up to 60mm decorated by points or cracks in the confootway, up to 60mm decorated by points or cracks in the confootway of points or cracks in the confootway.	POTHOLE 'F/W POTH SAFE WITH gory B work. (see arriageway, max epth. PATCH 60MM T arriageway, maxiepth. PATCH 60MM T arriageway, maxiepth.	60MM IOLE 60MM I H BITMAC'  Appendix Imum crack  HICK IMUM crack  HICK IMUM crack	Unit % m m M2 m M2 m	Quantity 3.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00
Item Code B0160122 B0720115 B1126115 B2010105 B0720115 B2010105 B0720115 B1126115 B2010105 B1126115	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO	o rates for Urgency Cates of joints or cracks in the confootway, up to 60mm dead of the confootway of the confootw	POTHOLE 'F/W POTH SAFE WITI gory B work. (see arriageway, max epth. PATCH 60MM T arriageway, maxi epth. PATCH 60MM T arriageway, maxi epth. PATCH 60MM T	60MM IOLE 60MM F H BITMAC'  Appendix  mum crack  HICK  mum crack  HICK  mum crack	Unit %  m  M2  m  M2  m  M2	Quantity 3.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00
B0160122 B0720115 B1126115 B2010105 B0720115	Description of Work Percentage addition to 1/13). Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm. Saw cut to bituminous COMBINED RATE FO Hot poured bitumen to width 10mm. COMBINED RATE FO Hot poured bitumen to width 10mm.	o rates for Urgency Cates o joints or cracks in the control footway, up to 60mm decorate footway	POTHOLE 'F/W POTH SAFE WITH gory B work. (see arriageway, max epth. PATCH 60MM T arriageway, maxiepth. PATCH 60MM T arriageway, maxiepth. PATCH 60MM T arriageway, maxiepth.	60MM IOLE 60MM F H BITMAC'  Appendix  mum crack  HICK  mum crack  HICK  mum crack	Unit % m m M2 m M2 m M2 m M2	Quantity 3.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00

Completed on	Ву	

		CARRIAGEWA'	A MUDKS			
		CARRIAGEWA	I WORKS			
Inspector			(	Order Number	131480	52
Urgency Ca	ategory URGENCY CA	ATEGORY B	ł	MIS Code	R10005	2N100338
Street Nam	ne BRAUNSTON	E AVENUE (Pt)(F	to B)	ssued Date	04-Marc	ch-2014
Area		PK & ROWLEY FIELDS		Complete by	05-Mar	ch-2014
Locations in	Street	Size	Work to do			200000-10000
			WOIN to do			
Opp Ip c	col 60 - 2 patches	2.00 x 1.00				
Opp 263	- 2 patches	5.00 x 1.00	POTHOLE 'C/W POT SAFE'	: 40mm HOLE 40MM F	PATCH O	R MAKE
Орр Ір с	ol 59	0.00 x 1.00	POTHOLE 'C/W POT SAFE'	40mm HOLE 40MM F	РАТСН О	R MAKE
Opp Ip co	ol 59 - 2 patches	1.00 x 1.00	POTHOLE 'C/W POT SAFE'	40mm HOLE 40MM F	PATCH O	R MAKE
Item Code	Description of Work				Unit	Quantity
B0160122	Percentage addition to 1/13).	rates for Urgency Cate	gory B work. (se	e Appendix	%	4.00
B0720115	Hot poured bitumen to width 10mm.	joints or cracks in the ca	arriageway, max	kimum crack	m	2.00
B0725301	Saw cut to bituminous I	oound flexible pavemen	it, 40mm depth.		m	2.00
	COMBINED RATE FOR			entre to thought	m2	2.00
	Hot poured bitumen to	joints or cracks in the ca	arriageway, max	rimum crack	m	5.00
	width 10mm.					5.00
B0720115		oound flexible pavemen	t, 40mm depth.		m	
B0720115 B0725301 B2010115	width 10mm.			MM THICK	m m2	5.00
B0720115 B0725301 B2010115	width 10mm. Saw cut to bituminous I	R BITMAC CARRIAGE	WAY PATCH 40	Management Committee of the Committee	1.55.55	5.00
B0720115 B0725301 B2010115 B0720115	width 10mm.  Saw cut to bituminous I  COMBINED RATE FOR  Hot poured bitumen to	R BITMAC CARRIAGEV	WAY PATCH 40 arriageway, max	Management Committee of the Committee	m2	Edition .
B0720115 B0725301 B2010115 B0720115 B0725301	width 10mm.  Saw cut to bituminous I  COMBINED RATE FOR  Hot poured bitumen to width 10mm.	R BITMAC CARRIAGEN	WAY PATCH 40 arriageway, max	rimum crack	m2 m	0.00
B0720115 B0725301 B2010115 B0720115 B0725301 B2010115	width 10mm.  Saw cut to bituminous I  COMBINED RATE FOR  Hot poured bitumen to width 10mm.  Saw cut to bituminous I	R BITMAC CARRIAGEN coints or cracks in the co cound flexible pavemen R BITMAC CARRIAGEN	WAY PATCH 40 arriageway, max t, 40mm depth.	imum crack  MM THICK	m2 m	0.00
B2010115 B0720115 B0725301 B2010115 B0725301 B0725301 B2010115 B0725301 B0725301	width 10mm.  Saw cut to bituminous I  COMBINED RATE FOR  Hot poured bitumen to width 10mm.  Saw cut to bituminous I  COMBINED RATE FOR  Hot poured bitumen to j	R BITMAC CARRIAGEN oints or cracks in the car ound flexible pavemen R BITMAC CARRIAGEN oints or cracks in the car	WAY PATCH 40 arriageway, max t, 40mm depth. WAY PATCH 40 arriageway, max	imum crack  MM THICK	m2 m m m	0.00

Completed on	Ву	

			FOOTWAY V	VORKS			
Inspector					Order Number	131480	53
Urgency Ca	ategory	URGENCY CA	ATEGORY B		FMIS Code	R10005	5N100342
Street Nam	е	BRAUNSTON	E AVENUE (Pt)(F t	to B)	Issued Date	04-Marc	ch-2014
Area		BRAUNSTONE F	PK & ROWLEY FIELDS	3	Complete by	05-Mar	ch-2014
Locations in	Street		Size	Work to	do		
Os Chur	ch		1.00 x 1.00	n			
Os Chure Os 254	ch		1.00 x 1.00 6.00 x 1.00	POTH	OLE 60MM OTHOLE 60MM WITH BITMAC'	PATCH OI	R MAKE
Os 254		iption of Work		POTH	OTHOLE 60MM	PATCH OI	R MAKE
	Descr	entage addition to		POTH F/W P SAFE	OTHOLE 60MM WITH BITMAC'		
Os 254	Descr Perce 1/13)	entage addition to BINED RATE FOI	6.00 x 1.00	POTH 'F/W P SAFE gory B work	OTHOLE 60MM WITH BITMAC' . (see Appendix	Unit	Quantity
Os 254  Item Code  B0160122  B2010110	Descr Perce 1/13) COM BITM Hot p	entage addition to BINED RATE FOR	6.00 x 1.00	POTH 'F/W P SAFE gory B work	OTHOLE 60MM WITH BITMAC' . (see Appendix	Unit %	Quantity 4.00
Os 254  Item Code B0160122	Descr Perce 1/13) COM BITM Hot p width	BINED RATE FOR AC oured bitumen to 10mm.	6.00 x 1.00 rates for Urgency Cates	POTHI 'F/W P SAFE gory B work AND REPLA arriageway,	OTHOLE 60MM WITH BITMAC' . (see Appendix	Unit % m2	Quantity 4.00 1.00

Completed on	Ву

			CARRIAGEWAY	WORKS			
Inspector					Order Num	ber <b>131480</b>	54
Urgency Ca	itegory	URGENCY CA	ATEGORY B		FMIS Code	R10005	52N100338
	Street Name BRAUNSTONE AVENUE (Pt)(F to B) Issued Date		04-Mar	04-March-2014			
Area			PK & ROWLEY FIELDS		Complete b	y <b>05-Ma</b>	rch-2014
Locations in	Street		Size	Work to	o do		
Os Churc	ch		1.00 x 1.00	n			
Os 256			2.00 x 1.00		OLE 40mm POTHOLE 40M	ИМ РАТСН О	R MAKE
	Desci	ription of Work	2.00 x 1.00	'C/W F		MM PATCH O	OR MAKE
Item Code		entage addition to	2.00 x 1.00	'C/W F SAFE'	POTHOLE 40N	Unit	
Item Code B0160122	Perce 1/13) Hot p	entage addition to		'C/W F SAFE'	POTHOLE 40N	Unit	Quantity
Item Code B0160122 B0720115	Perce 1/13) Hot p width	entage addition to	rates for Urgency Cates	'C/W F SAFE' gory B work	(see Appendio	Unit	Quantity 1.00
Item Code B0160122 B0720115	Perce 1/13) Hot p width	entage addition to	rates for Urgency Cates	'C/W F SAFE' gory B work arriageway t, 40mm de	(see Appendix maximum cracepth.	Unit %	Quantity 1.00 1.00
Item Code B0160122 B0720115 B0725301 B2010115	Perce 1/13) Hot p width Saw COM	poured bitumen to 10mm. cut to bituminous l	rates for Urgency Cateo joints or cracks in the ca bound flexible pavemen	'C/W F SAFE' gory B work arriageway t, 40mm de WAY PATC	C. (see Appendix maximum cracepth.	Unit  %  k m  m  m2	Quantity 1.00 1.00
Os 256  Item Code B0160122  B0720115  B0725301  B2010115  B0725301	Perce 1/13) Hot p width Saw COM Hot p	entage addition to boured bitumen to 10mm.  Cut to bituminous BINED RATE FOI boured bitumen to 10mm.	rates for Urgency Cates joints or cracks in the ca bound flexible pavemen R BITMAC CARRIAGEV	'C/W F SAFE' gory B work arriageway t, 40mm de WAY PATC arriageway,	c. (see Appendix maximum cracepth. CH 40MM THICK	Unit  %  k m  m  m2	Quantity 1.00 1.00 1.00 1.00

Completed on	Ву

	CAR	AGEWAY WORKS			
Inspector			Order Number	131480	98
Urgency Category URGENCY CATEGORY B FMIS Code  Street Name BRAUNSTONE AVENUE (Pt)(F to B) Issued Date		FMIS Code	R100052N100338		
		Issued Date	06-March-2014 07-March-2014		
		Complete by			
Locations in	Street Size	Work	to do		
Os 164	1.00	1.00 "			
Item Code	Description of Work			Unit	Quantity
B0160122	Percentage addition to rates for Ur 1/13).	ncy Category B wo	rk. (see Appendix	%	1.00
B0720115	Hot poured bitumen to joints or crawidth 10mm.	in the carriagewa	y, maximum crack	m	1.00
B0725301	Saw cut to bituminous bound flexib	pavement, 40mm	depth.	m	1.00
B2010106	COMBINED RATE FOR BITMAC	PRIAGEWAY PAT	CH 100MM THICK	M2	1.00

Completed on	Ву

#### Request Information Target Date 07 Jun 2013

Customer contacted? Yes / No

Date enquiry/complaint closed

Signed

Date contacted:

request	momation	rarget Date	07 Juli 2013		
Customer D	etail			Request Id	90614  Councillor Contact - 10 Day  MP Contact - 5 Days  OCL - 5 days  EMail External - 5 Days
	23 May 2013 E1706474				EMail Internal - 10 Days  EMail Internal - 10 Days  Mayor Enquiry - 5 Days  Mayor's Website - 10 Days  General CRM - 10 Days
Created By Client Name		AVENUE (Pt)			
Complaint Complaint Date Category	Carriageway defe	ect			
Close Date Details	07 Jun 2013 24 May 2013 Customer rang to Braunstone Aver Elsemere Road Fosse Road Sou Cort Cresent Gooding Avenue	th			
Ward Officer	Braunstone Park	& Rowley Fields	3		
REQUEST HISTO	ORY				
Date Tin 24/05/2013	ne User	Details  Braunstone Ave is be identified then.	due for inspection in Ju	une. All Intervention le	evel defects will

# Request Information Target Date 03 Jul 2013

Customer D	etail		Request Id 91131
			<ul> <li>MP Contact - 5 Days</li> <li>OCL - 5 days</li> <li>EMail External - 5 Days</li> <li>EMail Internal - 10 Days</li> <li>Mayor Enquiry - 5 Days</li> <li>Mayor's Website - 10 Days</li> <li>✓ General CRM - 10 Days</li> </ul>
Created By Client Name			
Additional Info Complaint Complaint Date	Carriageway defe		
Target Date Close Date	03 Jul 2013 21 Jun 2013 Cusotme rcalled	to say taht there are lot of pot hole: scent,Ellesmere Road and surroun	
Ward Officer	Braunstone Park	& Rowley Fields	
REQUEST HISTO		Details	
21/06/2013		VALENCE ROAD, BRAUNSTONE AVEN ELLESMERE ROAD ALL DUE FOR INSE TO ENSURE NO INT LEVEL DEFECTS	
Customer contact	cted? Yes / No	Date contacted:	
Date enquiry/cor	mplaint closed		
Signed			

## Request Information Target Date 04 Jul 2013

Signed

Customer D	Detail Request	Id 91151  Councillor Contact - 10 Day  MP Contact - 5 Days  OCL - 5 days
Name Address Telephone Mobile		☐ EMail External - 5 Days ☐ EMail Internal - 10 Days ☐ Mayor Enquiry - 5 Days ☐ Mayor's Website - 10 Days ☑ General CRM - 10 Days
Email		
	20 Jun 2013 P E1723312	
Created By		
Client Name		
Location	BRAUNSTONE AVENUE (Pt)	
Additional Info		
Complaint		
Complaint Date		
	Carriageway defect 04 Jul 2013	
	20 Jun 2013 Roads that needs immediate attention Pindar road Birkenshaw road Valance road Braunstone avenue Cort crescent Ellsmere road Hockley farm road section Bonney road Gooding avenue roundabout Winstanley drive Brocken speed humps Belgrave road side roads around lee circle  Those roads have been reported about two month ago problem still same our car get Brocken down because of inadequate maintenanc corruptive council I will contact Department for transport and DVLA near future if you do not proceed with the repairs.  Sent from my iPhone	ce by this
Ward Officer	Braunstone Park & Rowley Fields	
Customer conta	acted? Yes / No Date contacted:	
Date enquiry/cor	mplaint closed	

## Request Information Target Date 12 Mar 2014

Customer D	etail Request Id	
		Councillor Contact - 10 Day  MP Contact - 5 Days
		✓ OCL - 5 days
		EMail External - 5 Days
Name		EMail Internal - 10 Days
Address		Mayor Enquiry - 5 Days
Telephone		Mayor's Website - 10 Days General CRM - 10 Days
Mobile Email		Constant of this in a payo
	05 Mar 2014	
CRM No	05 Mar 2014	
Created By	67	
	67	
Client Name	PRALINICTONE AVENUE (D+)	
Additional Info	BRAUNSTONE AVENUE (Pt)	
Complaint	TIMEAN 100	
Complaint Date		
	Carriageway defect	
	12 Mar 2014	
Close Date		
Details	Potholes on SW exit from traffic island.	
	Braunstone Park & Rowley Fields	
Officer		
REQUEST HIST		
Date Tir	ne User Details  An order has been issued to repair the pothole and this work w	ill he
06/03/2014	completed as soon as possible.	III 50
Customer conta	cted? Yes / No Date contacted:	
Date enquiry/co	nplaint closed	
Signed		

## Request Information Target Date 17 Mar 2014

Signed

Customer Detail	Request Id 96265
	Councillor Contact - 10 Day
	☐ MP Contact - 5 Days ☐ OCL - 5 days
	☐ EMail External - 5 Days
Name	☐ EMail Internal - 10 Days
Address	Mayor Enquiry - 5 Days
Telephone	☐ Mayor's Website - 10 Days  ☑ General CRM - 10 Days
Mobile Email	General CRM - 10 Days
Date Input 03 Mar 2014	
CRM No E1882436	
Created By 67	
Client Name	
Location BRAUNSTONE AVENUE (Pt)	
Additional Info NEAR BRAUNSTONE PARK  Complaint	
Complaint Date	
Category Carriageway defect	
Target Date 17 Mar 2014	
Close Date	
Details customer rang to report 3 potholes on braunston	e avenue, at the roundabout near
braunstone park	
Ward Braunstone Park & Rowley Fields Officer	
Officer	
Customer contacted? Yes / No Date contacted:	
Date enquiry/complaint closed	

## Request Information Target Date 20 Mar 2014

Signed

Customer D	<b>etail</b> Reques	st ld 96358
		Councillor Contact - 10 Day  MP Contact - 5 Days
		OCL - 5 days
Name		EMail External - 5 Days
Address		<ul><li>☐ EMail Internal - 10 Days</li><li>☐ Mayor Enquiry - 5 Days</li></ul>
Telephone		Mayor's Website - 10 Days
Mobile		✓ General CRM - 10 Days
Email		
Date Input	06 Mar 2014	
CRM No	E1886029	
Created By	67	
<b>Client Name</b>		
Location	BRAUNSTONE AVENUE (Pt)	
Additional Info	GOING ONTO AND LEAVING LARGE ROUNDABOUT	
Complaint		
Complaint Date		
	Carriageway defect	
	20 Mar 2014	
Close Date Details	Lucal to a control of the land	d looving the
Details	I want to report 3 pot holes on Braunstone Avenue, going onto an large roundabout	d leaving the
	Eform Link - http://e-	
	forms.leicester.gov.uk/FAMLogIn/auth.aspx?ReturnURL=https://e-forms.leicester.gov.uk/default.aspx/ViewSubmission/?Reference=	
Ward	Braunstone Park & Rowley Fields	
Officer		
Customer conta	cted? Yes / No Date contacted:	
Date enquiry/cor	mplaint closed	

# Request Information Target Date 26 Mar 2014

Customer D	etail	Request Id 96477
		Councillor Contact - 10 Day  MP Contact - 5 Days
		☐ OCL - 5 days ☐ EMail External - 5 Days
Name		EMail Internal - 10 Days
Address		Mayor Enquiry - 5 Days
Telephone		Mayor's Website - 10 Days
Mobile		✓ General CRM - 10 Days
Email		
Date Input	12 Mar 2014	
	E1890010	
Created By	40	
Client Name		
Location	BRAUNSTONE AVENUE (Pt)	
Additional Info		
Complaint		
Complaint Date		
	Carriageway defect	
	26 Mar 2014	
Close Date	20 Mai 2011	
Details	Reporting that the carriage way along Braunstone Ave is ve	ry had - has not holes
	etc - states that the whole area is "rubbish" states that the working mens club and there is a "huge" pot hole customer been going over this pot hole his vehicle has started making	orst part is next to the states that since he has
	Action Taken:	
	passed to the highways team - asking that he be contacted	with an update
	Insuarance claim form posted	
Ward	Braunstone Park & Rowley Fields	
Officer		
Customer contac	tod2 Voc./No. Date contacted:	
Customer contac	ted? Yes / No Date contacted:	
Date enquiry/con	pplaint closed	
Signod		

# Request Information Target Date 04 Apr 2014

Customer Detail			Request Id 96699  Councillor Contact - 10 Day  MP Contact - 5 Days	
Name Address Telephone Mobile			☐ OCL - 5 days ☐ EMail External - 5 Days ☐ EMail Internal - 10 Days ☐ Mayor Enquiry - 5 Days ☐ Mayor's Website - 10 Days ✔ General CRM - 10 Days	
	21 Mar 2014 E1898308			
Created By Client Name				
Location Additional Info Complaint	BRAUNSTONE	AVENUE (Pt)		
Complaint Date Category Target Date Close Date Details	Carriageway defe 04 Apr 2014 Yesterday on 20/ and about to app customer punctur is incnes in length a possible and wan Action Taken:	3/14 at approx 07:30pm customer was dri roach Gooding Ave roundabout. Just befo red car tyre and damaged alloy wheel due . Customer has measur and deptn is 8 inches. Customer wants pot its compensation for damage to her car.	re this roundabout to pothole in road. VRM e pothole and it is 20 hole repaired as soon as	
REQUEST HISTO		Data		
Date Tim 21/03/2014	user	Details Works possibly ordered 6.3.14 (13148098) - re-dire await ARF.	ected to ····· and	
Customer contacted? Yes / No Date contacted:  Date enquiry/complaint closed		Date contacted:		
Signed				